

## EMISSION IDLE TEST TOYOTA

MAKE : TOYOTA

MODE TYPE : AT2EPN

DATE OF MANUFACTURE : October, 1996

COMPARISON :

	CO%	HC PPM	CO2%
Before	0.20%	101 PPM	13.38%
After	0.07%	30 PPM	13.80%
After 1 week	0.02%	10 PPM	14.72%



PPM = Part Per Million

Reduced HC% :  $(101-10) / 101 ] \times 100\% = 89\%$

Reduced CO% :  $(0.2-0.02) / 0.2 ] \times 100\% = 90\%$

Average :  $(89\% + 90\%) / 2 = 89.50\%$

REDUCE EMISSIONS : **89.50%**



## EMISSION IDLE TEST TOYOTA

MAKE : TOYOTA  
MODE TYPE : 2003 CE1EPD

COMPARISON :

	CO%	HC PPM	
Before	0%	127 PPM	
After	0%	4 PPM	



PPM = Part Per Million

Reduced HC% :  $[(127-4) / 127] \times 100\% = 96.85\%$

REDUCE EMISSIONS : **96.85%**



# EMISSION IDLE TEST TOYOTA

Department of Environmental Protection,  
Taipei City Government



Owner: 李芳宜

Test date/ Time: April, 12th, 2006/13:45

Make: TOYOTA

Model Type: AT2EPN

Engine number: 4A408156

Vehicle category: Convertible

VIN: K5-6582

Date of Manufacture: November

## Test results of Exhaust emissions (Idle)

Test	CO(%)	HC(PPM)	CO <sub>2</sub> (%)	Result
	0.20	101	13.38	合格

■ 排氣檢測以一次為主。

■ 排氣檢測結果根據儀器穩定 10-15 秒後顯示值為檢測結果判定值。

▲ 使用中汽車排氣空氣污染物排放標準(儀器檢測):

出廠年份	污染度	出廠年份	污染度	出廠年份	污染度
79年5月30日以前出廠(含)	CO: 6.5% 以下 HC: 1200PPM 以下	79年7月1日至80年7月31日出廠(含)	CO: 3.5% 以下 HC: 900PPM 以下	81年8月1日以後出廠(含)	CO: 1.2% 以下 HC: 220PPM 以下

1. 測試方法依據 CNS12567 方法進行測試。
2. 本測試結果僅對受測車本次送驗負責，並不得摘錄複製。
3. 判定結果(合格)為符合排放標準。(不合格)為超過排放標準。

法規標準	一種污染物超過標準		兩種污染物皆超過標準	
	未超過 1.5 倍	超過 1.5 倍	未超過 1.5 倍	超過 1.5 倍
小型車	3000 元	6000 元	6000 元	12000 元

稽查單位	臺北市環境保護局	檢驗單位	春迪企業股份有限公司	檢驗人員	陳嘉祥	抽籤	車主簽名
------	----------	------	------------	------	-----	----	------

稽查單位：

名稱：臺北市政府環境保護局

地址：臺北市市府路一號七樓東北區

電話：(02)2728-7250

傳真：(02)8788-4287

檢驗單位

名稱：春迪企業股份有限公司

地址：臺北市內湖區安樂路 290 號

電話：(02)2792-7185

傳真：(02)2792-6693

第一聯(白)：環保局

第二聯(黃)：車主保存

第三聯(紅)：檢測站